

# MATERIAL SAFETY DATA SHEET

## NPCA HMIS

H = 1  
F = 0  
R = 0

Prepared by: Greg Wood  
Date: June 1, 2005

## SECTION I

**Manufacturer's Name:** Stoler Industries  
**Street Address:** 2220 S Hamilton Extension, Dalton GA 30722  
**Emergency Telephone No.:** Chemtrec 1-800-424-9300  
**General Information No.:** 1-800-228-4583  
**Product Class:** Stair Tread/Floor Covering Adhesive  
**Manufacturer's Code Identification:** AAT-420  
**Trade Name:** Allstate ST1, Allstate ST2

## SECTION II — HAZARDOUS INGREDIENTS

None

## SECTION III — PHYSICAL DATA

**Boiling Range:** Greater than 212° F  
**Vapor Density:** Lighter than Air  
**Evaporation Rate:** Slower than Ether  
**Percent Volatile by Volume:** 40% ± 2%  
**VOC Emission:** 0 g/l (calculated per Ca. South Coast Rule 1168)

## SECTION IV — PHYSICAL DATA

**DOT Category:** Nonflammable  
**Flash Point:** N/A  
**LEL:** Not Known  
**Extinguishing Media:** Water mist, dry chemical, CO<sub>2</sub>, mechanical foam  
**Unusual Fire and Fighting Hazards:** Liquid adhesive will not ignite. Dried adhesive will ignite if heated over 150°C and or exposed to ignition source, producing CO, CO<sub>2</sub>, smoke and hydrocarbons.  
**Special Fire Fighting Procedures:** If dried adhesive ignites, use dry chemical, foam extinguishers, or a fog nozzle. For small fires, CO<sub>2</sub> extinguishers can be used. Use air mask when combating dried adhesive fires.

## SECTION V — HEALTH HAZARD DATA

**Threshold Limit Value:** Non-established  
**Effects of overexposure:** Wet-possible lightheadedness, nausea, and/or mild dermatitis could develop. Dry-None.  
**Emergency and First Aid Procedures:** Flush eyes with ample water. Wash skin with soap and water. If ingested, treat symptomatically and contact physician.

## SECTION VI — REACTIVITY DATA

**Stability:** Stable  
**Incompatibility:** (Materials to avoid)  
**Conditions to avoid:** Closed area with open container  
**Hazardous Decomposition Products:** None  
**Hazardous Polymerization:** Will not occur  
**Conditions to avoid:** Strong acids or oxidants, temperatures below 20°F

## SECTION VII — SPILL OR LEAK PROCEDURES

**Steps to be taken in case material is released or spilled:** Scoop up excess with shovel, wash remainder with water.  
**Waste Disposal Method:** Landfill or incinerate as per local and state regulations.

## SECTION VIII — SPECIAL PROTECTION INFORMATION

**Respiratory Protection:** None required with adequate ventilation.  
**Ventilation:** Open windows, exhaust fan, open air area  
**Protective Gloves:** May be desirable for people with sensitive skin.  
**Eye Protection:** Safety glasses or goggles.  
**Other Protective Equipment:** None required

## SECTION IX — SPECIAL PRECAUTIONS

**Precautions to be taken in handling and storing:** Store in a cool, dry place. Optimum storage temperature 70°F.  
**Other precautions:** Keep from freezing. Keep sealed when not in use.  
If frozen, allow adhesive to thaw at room temperature. DO NOT agitate or stir until adhesive is completely thawed.  
Shelf Life – One year from the date of manufactured in an unopened container.