

Rubber Wall Base MSDS Safety Sheet

■ SECTION 1: IDENTIFICATION OF PRODUCT TRADE NAME: Rubber Wall Base & Risers WHMIS CLASS: NOT CONTROLLED

DESCRIPTION: Rubber, (tpr)

PRODUCT USE: BASE BOARD COVERINGS

TRANSPORT: DOT: Not Regulated

HMIS CODE: HEALTH (0) FIRE (0) REACTIVITY (0) SPECIFIC (0) 0: MINIMAL 1: LIGHT 2: MODERATE 3: HIGH 4: DANGEROUS

SUPPLIER: Stoler Industries

P.O. Box 2587 Dalton, GA 30722 Phone: (800) 491 9968

EMERGENCY PHONE NUMBER: CHEMTREC (800) 424 9300

■ SECTION 2: HAZARDOUS INGREDIENTS HAZARDOUS INGREDIENTS # CAS % T.L.V. LD50 NONE

■ SECTION 3: PHYSICAL PROPERTIES

APPEARANCE AND ODOR: Flexible rubber profile extrusions-characteristic

rubber odor

BOILING POINT (C): N/A

SPECIFIC GRAVITY (H20=1): 1.6 (APPROX.)

VAPOR DENSITY (Air=1): N/A MELTING POINT (C): N/D EVAPORATION RATE: N/A

SOLUBILITY IN WATER (%): Essentially insoluble

VOLATILE MATTER (% Vol.): N/D VAPOUR PRESSURE (mm of Hg): N/A

PH: N/A

■ SECTION 4: FIRE AND EXPLOSION HAZARD DATA FLAMMABLE: YES () NO(X)

IF YES, IN WHICH CONDITIONS:

allstaterubber.com



Rubber Wall Base MSDS Safety Sheet (Cont.)

AUTO-IGNITION TEMPERATURE (C): Excess 600 F
FLAMMABLE LIMITS (% VOL.IN AIR): LOWER LIMIT: N/D UPPER LIMIT: N/D
EXTINGUISHING MEDIA: WATER SPRAY (X) WATER FOG()
CARBON DIOXIDE (X) FOAM ()
DRY CHEMICAL (X) OTHERS ()
SPECIAL FIRE FIGHTING PROCEDURES: N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS:
Hydrogen Chloride Gas liberated in combustion.

■ SECTION 5: REACTIVITY DATA

STABILITY: UNSTABLE () STABLE (X) CONDITIONS TO AVOID: NONE

HAZARDOUS POLYMERIZATION: MAY OCCUR () WILL NOT OCCUR (X)

CONDTIONS TO AVOID: NONE KNOWN

INCOMPATIBILITY (materials to avoid): Avoid contact with acetal or acetal

copolymers and with amine containing materials during processing.

WATER () BASE()

OXIDIZING AGENTS () ACID ()

CORROSIVE () OTHERS ()

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

■ SECTION 6: PREVENTIVE MEASURES

VENTILATION: When heated provide adequate ventilation to remove smoke and fumes from work area.

RESPIRATORY PROTECTION: None required with adequate ventilation.

EYE PROTECTION: Safety glasses.

HAND PROTECTION: Gloves

OTHER PROTECTIVE EQUIPMENT: None HANDLING: Practice good personal hygiene.

STORAGE: N/A

■ SECTION 7: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Material may be swept, shoveled or vacuumed into containers for reuse or

allstaterubber.com



Rubber Wall Base MSDS Safety Sheet (Cont.)

disposal. Use NIOSH approved respiratory equipment where dust is possible. WASTE DISPOSAL METHOD: Sanitary landfill or incineration in accordance with Federal, State, or local regulations. If incineration is used, recognition should be made that corrosive Hydrogen Chloride is generated.

■ SECTION 8: HEALTH HAZARD DATA
ABSORPTION ROUTE: SKIN () EYES () INHALATION () INGESTION ()
EFFECTS OF OVEREXPOSURE:

The ingredients listed in Section 2 are incorporated into the product and will not be released. They are provided for information. No acute effect expected.

SKIN: Contact not expected to be harmful.

EYES: Not expected to be harmful.

INHALATION: Not expected to be harmful.

INGESTION: N/A

■ SECTION 9: FIRST AID PROCEDURES

SKIN: Wash with soap and water.

EYES: Flush with water and remove the dirt particles.

INHALATION: Move the person to fresh air, give artificial respiration if necessary.

INGESTION: Call a physician.

■ SECTION 10: PREPARATION INFORMATION

PREPARED BY: Toby Steinbeck REVISION DATE: July 23,2007

Stoler Industries has compiled the information and recommendations contained in the Material Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guarantee or representation is made as to the correctness or sufficiency of the information. The user of this product must decide for himself what safety measures are necessary to safely use this product, either alone or in combination with other products.

N/A: Not applicable N/D: Not determined N/E: Not established